

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	22	("5,859,370" "5,157,977" "6,066,016" "5,051,694" "4,955,236" "4,952,875" "4,866,337" "4,855,677" "4,788,499" "4,629,984" "4,454,473").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 15:45
S2	441	324/240.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 15:45
S3	24	S2 and probe same coil and measur\$3 near3 voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 15:47
S4	343	Keely.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 08:57
S5	3	"6703831".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 10:26
S6	1	"5859370".PN.	USPAT; USOCR	OR	ON	2005/07/15 10:07
S7	1	"5157977".PN.	USPAT; USOCR	OR	ON	2005/07/15 10:08
S8	1	"5056016".PN.	USPAT; USOCR	OR	ON	2005/07/15 10:10
S9	1	"5051694".PN.	USPAT; USOCR	OR	ON	2005/07/15 10:22
S10	1	"4955235".PN.	USPAT; USOCR	OR	ON	2005/07/15 10:23
S11	120	(324/219,220,222,228,234,238-240).ccls. and (stati\$5 still discreet) near3 (test\$3 measur\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 10:40

S12	43	(324/219,220,222,228,234, 238-240).ccls. and (stati\$5 still discreet) near (test\$3 measur\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 11:14
S13	33	(static discreet) near (test\$3 measur\$3)same coil same voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 11:25
S14	318	(discreet static) near2 measurement same voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 11:26
S15	73	S14 and coil	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 11:37
S16	3516	probe with stationary	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 11:38
S17	144	S16 and measur\$5 with voltage and coil	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 14:14
S18	3516	probe with stationary	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 14:15
S19	8	S18 and measur\$5 with voltage with (continuous or static)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 15:15

S20	20	(movable moving) with probe same induce\$2 with voltage with measur\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 15:41
S21	1706	voltage with measur\$5 same movable with position	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 15:45
S22	16	voltage with measur\$5 same movable with position same eddy adj current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 15:48
S23	851	multiple with measurement with voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 15:50
S24	3	S22 same sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 15:50
S25	94	S23 same sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 15:50
S26	4274	voltage with measur\$5 with coil with current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 15:39
S27	172	S26 same stationary	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/18 15:39